

Aviso legal

Descargo de responsabilidad legal

Esta guía y su contenido (la «Guía») son proporcionados por NXGEN. Todos los derechos sobre la Guía y sobre la propiedad intelectual incorporada en ella — incluidos, entre otros, marcas, nombres comerciales, logotipos y signos similares que figuren en la Guía — están protegidos por la ley. Todos los derechos, títulos e intereses sobre la Guía y sobre los derechos de propiedad intelectual relacionados pertenecen y permanecen con NXGEN y sus licenciantes.

La Guía se proporciona de forma gratuita, «tal cual» y únicamente con fines informativos, sin garantía de ningún tipo. No está destinada ni es adecuada para establecer relación jurídica alguna entre el lector y NXGEN o sus filiales, incluidas, entre otras, obligaciones de NXGEN o de sus filiales frente al lector.

Las obligaciones de NXGEN y de sus filiales respecto de los productos o servicios de NXGEN adquiridos por un cliente se rigen exclusivamente por los términos del contrato en virtud del cual se adquirieron dichos productos o servicios.

Para mayor claridad

El lector asume todo el riesgo en cuanto al uso, los resultados y el rendimiento de la Guía. En la máxima medida permitida por la ley aplicable, NXGEN rechaza y excluye todas las garantías, ya sean legales, expresas o implícitas — incluidas, entre otras, las garantías implícitas de comerciabilidad, idoneidad para un fin determinado, titularidad y no infracción de derechos de terceros — así como cualquier responsabilidad o garantía derivada de sugerencias, especificaciones o muestras relacionadas con la Guía.

Programador de análisis

Updated 16 August 2026

Qué hace Analytics Scheduler

La pestaña Analytics Scheduler muestra todas las programaciones de analíticas configuradas en una vista de tabla. Cada fila representa un trabajo de analíticas programado y muestra el nombre, el nivel de acceso, el tipo de analíticas, la hora de programación, el sitio y el dispositivo asociados.

La pestaña aparece junto a la pestaña Analytics en la barra de navegación y está sujeta a los mismos permisos.

Por qué es importante

La pestaña Analytics le permite suscribir cámaras a análisis, pero no muestra qué programaciones ya se están ejecutando ni si existen duplicados. Analytics Scheduler cubre esa necesidad al ofrecer a los administradores visibilidad completa de cada programación activa en toda la jerarquía en una sola tabla.

Sin esta vista, los planificadores duplicados pueden acumularse silenciosamente, ejecutando el mismo trabajo de analítica varias veces al mismo nivel, desperdiciando recursos de procesamiento y dificultando la gestión de las configuraciones a escala.

Cómo funciona

La tabla muestra las siguientes columnas para cada trabajo programado:

- Name — the entity the scheduler is assigned to (customer, site, or device name)
- Access Level — the hierarchy level of the scheduler: serviceprovider, site, or device
- Analytics — the analytic type being scheduled (e.g. Health Check+, Port Check)

- Schedule time — how often the job runs (e.g. Daily 12 hrs - 0600, Every 30 minutes, Every 5 Minutes)
- Site — the site associated with the scheduler, if applicable
- Device — the device associated with the scheduler, if applicable
- Actions — available actions for each row

Each column header includes a menu with three options: Show Filters to filter the table by that column, Hide column to remove it from view, and Manage columns to control which columns are displayed.

Name	Access Level	Analytics	Schedule time	Site	Device	Actions
qaprod021	serviceprovider	Health Check+	Daily 12 hrs - 0600			Delete
new adpro device	device	Health Check+	Daily 12 hrs - 0930	TEST96		Delete
TEST96	site	Port Check	Every 30 minutes	TEST96		Delete
TEST96	site	Port Check	Every 5 Minutes	TEST96		Delete

Key Capabilities

- Full visibility — View all active schedulers across the entire hierarchy in one table.
- Access level filtering — Each row shows its access level (service provider, site, device), making it easy to identify where each scheduler was created.
- Duplicate detection — The table lists all schedulers including duplicates, allowing administrators to identify and remove redundant jobs manually.

- **Column controls** — Each column header includes a menu to show filters, hide the column, or manage which columns are visible.
- **Delete** — Remove any scheduler directly from the table. This unsubscribes the associated cameras from that analytic.

Real-World Use Cases

- An administrator notices two Port Check schedulers running on the same site at different intervals (Every 30 minutes and Every 5 Minutes) and deletes the redundant one.
- A service provider reviews all active Health Check+ schedules across customers and removes outdated entries from decommissioned devices.
- An administrator uses the table to confirm which devices have active schedulers before making bulk changes in the Analytics tab.

Best Practices

- Regularly review the Analytics Scheduler table to identify and remove duplicate schedulers — the same analytic running multiple times on the same entity wastes processing resources.
- Before subscribing cameras to a new schedule in the Analytics tab, check the Scheduler table to confirm no existing schedule is already configured for that level.
- Use the Access Level column to understand which level a scheduler was created at — this helps avoid conflicts between parent and child level schedules.
- Use Show Filters on the Analytics or Schedule time columns to quickly narrow down entries when managing large numbers of schedulers.

Additional Details

- **Permissions** — The Analytics Scheduler tab shares the same permissions as the Analytics tab. It appears only if the Analytics permission is enabled for the user at that level. If permissions are disabled, neither tab is displayed.

- Access path — Configuration Page → Service Provider Level → Analytics Scheduler tab.
- Hierarchy visibility — At the Service Provider level, the table shows all schedulers across the entire hierarchy. At lower levels (Customer, Site, Device), the table shows only schedulers within that level.
- Deleting vs unsubscribing — Deleting a scheduler from this tab produces the same result as unsubscribing from the Analytics tab.
- Row-level actions — The only available row-level action is Delete.