

Disclaimer

Legal disclaimer

This guide and its contents (the "Guide") are provided by NXGEN. All rights to the Guide and to the intellectual property embodied in it — including, without limitation, trademarks, trade names, logos and similar marks appearing in or on it — are protected by law. All right, title and interest in the Guide and in any related intellectual property rights belong to and remain with NXGEN and its licensors.

The Guide is provided free of charge, "as is" and for informational purposes only, without warranty of any kind. It is neither intended nor suitable to establish any legal relationship between the reader and NXGEN or its affiliates, including, without limitation, any obligation of NXGEN or its affiliates toward the reader.

The obligations of NXGEN and its affiliates in respect of NXGEN products or services purchased by a customer are governed exclusively by the terms of the agreement under which those products or services were purchased.

For clarification

The reader bears the entire risk as to the use, results and performance of the Guide. To the fullest extent permitted by applicable law, NXGEN disclaims and excludes all warranties, whether statutory, express or implied — including, without limitation, implied warranties of merchantability, fitness for a particular purpose, title and non-infringement of third-party rights — as well as any liability or warranty arising from suggestions, specifications or samples related to the Guide.

Contact

Updated 4 September 2026

Operations on contact resources. 4 endpoints, each relative to `https://api.nxgen.cloud/api/v1` and authenticated as described under [Authentication](#).

POST /contact

Add a new contact.

Parameters

NameInTypeRequiredDescriptionhierarchyIdquerystringyesHierarchy level id like Site, Customer or Service provider ID in which contact is created.

Request body

Contact payload

```
{
  "name": "string (required)",
  "description": "string",
  "email": "string",
  "codeword": "string",
  "available": "boolean",
  "type": "STANDARD",
  "phones": [
    {
      "number": "string",
      "phoneType": "MAIN | MOBILE | HOME | WORK | CUSTOM",
      "customType": "string"
    }
  ]
}
```

Responses

StatusDescriptionBody200Success400Invalid input403Forbidden

Example 200 response:

```
{
  "errorCode": 0,
  "errorMessage": "Success",
  "id": "8a81fc4581c99094018224c3d431"
}
```

Example 400 response:

```
{
  "errorCode": "ERR001",
  "errorDesc": "Invalid Request"
}
```

PATCH /contact

Patch a contact by contact ID

Parameters

NameInTypeRequiredDescriptioncontactIdquerystringyesContact ID in which patch is required.-

hierarchyIdquerystringyesHierarchy ID in which the contact is associated with. Example site, customer or service provider ID.

Request body

Contact payload

```
{
  "name": "string",
  "description": "string",
  "email": "string",
  "codeword": "string",
  "available": "boolean",
  "phones": [
    {
      "id": "string",
      "number": "string",
      "phoneType": "MAIN | MOBILE | HOME | WORK | CUSTOM",
      "customType": "string"
    }
  ]
}
```

```
}
```

Responses

StatusDescriptionBody200Success400Invalid input403Forbidden

Example 200 response:

```
{
  "errorCode": 0,
  "errorMessage": "Success"
}
```

Example 400 response:

```
{
  "errorCode": "ERR001",
  "errorDesc": "Invalid Request"
}
```

DELETE /contact

Delete a contact by contact ID

Parameters

NameInTypeRequiredDescriptioncontactIdquerystringyesContact ID required to be deleted.hierarchyId-querystringyesHierarchy ID in which the contact is associated with. Example site, customer or service provider ID.

Responses

StatusDescriptionBody200Success204No Content400Invalid input401Unauthorized403Forbidden

GET /contact/all

Get list of contacts associated with a hierarchy level id like Site, Customer or Service provider ID.

Parameters

NameInTypeRequiredDescriptionhierarchyIdquerystringyesHierarchy level id like Site, Customer or Service provider ID.

Responses

StatusDescriptionBody200Successobject400Invalid input403Forbidden

Example 200 response:

```
{
  "errorCode": 0,
  "message": [
    {
      "id": "8a81b56781c990bb0181d22466bb007e",
      "name": "Axxon test",
      "description": "Site Contact - Automatically created",
      "email": null,
      "codeword": null,
      "available": true,
      "type": "MANAGED",
      "phones": []
    },
    {
      "id": "8a81fc4581c9909401822538dbc70653",
      "name": "John",
      "description": "nxgen user contact",
      "email": "test@nx.com",
      "codeword": "NXG",
      "available": true,
      "type": "STANDARD",
      "phones": [
        {
          "id": "8a81fc4581c9909401822538dbc70654",
          "number": "+919842999112",
          "phoneType": "MAIN",
          "customType": null
        }
      ]
    }
  ]
}
```

Example 400 response:

```
{  
  "errorCode": "ERR001",  
  "errorDesc": "Invalid Request"  
}
```