

Disclaimer

Legal disclaimer

This guide and its contents (the "Guide") are provided by NXGEN. All rights to the Guide and to the intellectual property embodied in it — including, without limitation, trademarks, trade names, logos and similar marks appearing in or on it — are protected by law. All right, title and interest in the Guide and in any related intellectual property rights belong to and remain with NXGEN and its licensors.

The Guide is provided free of charge, "as is" and for informational purposes only, without warranty of any kind. It is neither intended nor suitable to establish any legal relationship between the reader and NXGEN or its affiliates, including, without limitation, any obligation of NXGEN or its affiliates toward the reader.

The obligations of NXGEN and its affiliates in respect of NXGEN products or services purchased by a customer are governed exclusively by the terms of the agreement under which those products or services were purchased.

For clarification

The reader bears the entire risk as to the use, results and performance of the Guide. To the fullest extent permitted by applicable law, NXGEN disclaims and excludes all warranties, whether statutory, express or implied — including, without limitation, implied warranties of merchantability, fitness for a particular purpose, title and non-infringement of third-party rights — as well as any liability or warranty arising from suggestions, specifications or samples related to the Guide.

Genesis API overview

Updated 4 September 2026

The Genesis platform exposes a REST API over HTTPS. Every request is made against one base URL, authenticated with a token in a request header, and answers JSON.

Base URL

```
https://api.nxgen.cloud/api/v1
```

Every path on these pages is relative to it: GET /user/me means GET

```
https://api.nxgen.cloud/api/v1/user/me.
```

Authentication

Requests carry a token in the `auth-token` header. See [Authentication](#) for how to obtain one.

Resources

ResourceOperationsUser6Account11Site19Device8Sensor9Camera Controls6Event4Event Search1IO7-Trigger2Proxy1Storage Service4Analytics4Status View2Blog6Contact4Dashboard1Folder6Integration6-Audit5Report Template3Report8Schedule2Service Requests6Service Request Tab2Developer Tools1

Conventions

- Path parameters are written in braces, `/site/{id}`. Replace the whole placeholder, braces included.
- Request bodies are JSON unless an operation says otherwise. On these pages a body is shown as a skeleton: the field names with the type expected in place of each value, and `(required)` on the fields that must be present.
- Response tables list every status the specification declares. `401` means the token was missing or rejected; `403` means it was valid but not entitled to the resource.



Specification version 1.0.0.